Creeks Division Water Quality Monitoring and Research Program Fiscal Year 2013 Research Plan

PROGRAM ELEMENT and QUESTIONS	METHODS/CONSTITUENS	SITES	FREQUENCY	NEW?
A. Watershed Assessment				
Is overall water quality, in terms of indicator bacteria and field properties, getting better over time?	FIB, field parameters, flow	Integrator Sites Honda and Lighthouse	Biweekly (26 x 4) Quarterly (4 x 2)	
2. How contaminated and/or toxic is sediment at storm drain outfall sites?	Metals, PAHs, Toxicity, Pyrethroids	8 creeks sites TBD	Yearly, in late summer	
3. Are pharmaceutical and personal care products (PPCPs) reaching creeks via irrigation runoff and water main breaks of reclaimed water?	Salinity and PPCPs	4 discharge sites if not completed in FY 11. Pending results, 2 creeks sites.	Summer 2012	
4. Is contaminated groundwater at cleanup sites reaching creeks?	Semivolatile organics	4 creek sites located in target areas	Summer 2012	
5. What is the source of the 303(d) impairment for Low Dissolved Oxygen on Mission Creek? How extensive in time and space is the impairment? (see Section C as well)	Nutrients, DO, Bioassessment, Algae cover	TBD, basd on Mission Lagoon results below.	TBD	
6. What is the source of the 303(d) impairment for Sodium and Chloride on Sycamore Creek? Is high conductivity near Chelham Creek from natural sources?	Conductivity, Sodium, Chloride	Creek walk, review geologic maps	As needed (~10 sample pairs)	New
7. Is high conductivity in Honda Creek from natural sources?	Conductivity, Sodium, Chloride	Test downstream site biweekly for conductivity. Creek walk, review geologic maps	As needed (~5 sample pairs)	New
8. What is the source of the impairment for toxicity on Mission Creek?	Toxicity Tests, especially algae	Quarterly sampling sites plus Mission Canyon	Quarterly (3x's during dry weather)	
9. What are the background daily cycles of water flow in Santa Barbara creeks? Is there a daily pumping in or removal of water from Arroyo Burro?	Review flow data, creek walk.	Lower Arroyo Burro	Summer 2012	New
10. Are new pesticides (pyerthroids and neonicotinoids) detected in dry conditions?	Pyrethroids, neonicotinoids	Integrator sites	Fall 2012	New
11. What are the impacts of reservoir flushing on metals?	Metals (total)	Sites TBD based on reservoir flushing	Fall 2012	
B. Storm Monitoring				
What are the highest concentrations of pollutants of concern during storm events, particularly seasonal first flush storms, in creeks?	Metals, Herbicides, Pesticides, Nutrients, Hydrocarbons, MBAS,	Integrator Sites and four storm drains	Yearly, first flush. Collect drain samples first, then creek samples.	
2. Do creeks and/or storm drains in Santa Barbara have problems with toxicity during storm events?	Toxicity (Vert, invert, algae)	As above.	As above.	
What are the loads of pyrethroids discharged from Santa Barbara creeks during storms?	Pyrethroids	Arroyo Burro at Cliff (location of flow gauge and autosampler)	Conduct composite sampling according to Caltrans (2008) during a 1" forecasted storm.	New
4. Is runoff from coal tar sealed parking lots more toxic than runoff from asphalt sealed parking lots?	PAHs, toxicity	4 sites, TBD	One storm, 2013.	New

1. Westside SURF and Old Mission Creek Restoration a. Is the UV disinfection equipment functioning? b. What percentage of flow in Westside Storm Drain is the facility treating? c. Have habitat sores and index of biological integrity (IBI) scores in Bohnetit Park improved? c. Have habitat and IBI scores in Mesa Creek daylighting a. Have habitat and IBI scores in Mesa Creek (uniproved? c. How does Arroyo Burro Estuary biological integrity compare to other estuaries? d. How does Arroyo Burro Estuary biological integrity compare to other estuaries? d. Pope and Haley Diversions a. Are human waste markers still found in Hope and Haley Storm Drains? b. What are the loads of fecal indicator bacteria (FIB) that are diverted to the sanitary sewer by these projects? d. What is the quality of water discharged during spillover conditions (East Basin, West Basin) reduce politicant concentrations during storms? b. What are the temporal and spatial patterns of PH, temperature, DO, and conductivity in the East Basin and West Basin furning releases? c. What are the temporal and spatial patterns of PH, temperature, DO, and conductivity in the East Basin and West Basin PW water the case Basin and West Basin PW water the East Basin and West Basin PW water the case Basin and West Basin furning releases? b. Make the quality of water released prior to storm events from the East Basin and West Basin PW water the conditions in receiving water during releases? b. Make the quality of water released prior to storm events from the East Basin and West Basin PW water the conditions in receiving water during releases? b. Make the proof and Spatial patterns of PH, temperature, DO, and conductivity in the East Basin and West Basin PW water the conditions in receiving water for observed in E. Basin, spot sampling field parameters, IFIB, nutrients, TSS, toxicity b. Make the quality of water released prior to storm events from the water, if observed). b. Make the quality of water released prior to storm events from the water, if observed). b. Mak	DD	OODAM ELEMENT LOUESTIONS	METHODS/CONSTITUENS	CITEC	EDECHENCY	NEWO
Storm events? C. Restoration and Water Quality Project Assessment 1. Westside SURF and Old Mission Creek Restoration a Is the UV disinfection equipment functioning? b. What percentage of flow in Westside Storm Drain is the facility treating? c. Have habitat scores and index of biological integrity (IBI) scores in Bohnelt Park improved? 2. Arroya Burro Restoration, including Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek continued to improve? b. Have water quality in Mesa Creek continued to improve? c. How does Arroy Deuro Estary biological integrity compare to other estuances? J. Hope and Haley Diversions a. Are human waste markers still found in Hope and Haley Storm Drains? b. What are the loads of fecal indicator bacteria (FIB) that are divarted to the sential syewer by these projects? d. Golf Course Project Performance (Storm) and Operation (Dry weather) a. Do tearlment elements (Adams bioswale, East Basin, West Basin) reduce politular concentrations during shorms? b. What is the quality of water discharged during spillover conditions (East Basin, West Basin) reduce politular concentrations during shorms? c. What are the temporal and spatial patterns of pH. temperature, DO, and conductivity in the East Basin during dy water diversions provided in the saintage of the spillow				311E3	FREQUENCT	NEW!
1. Westside SURF and Old Mission Creek Restoration a. Is the UV disinfection equipment functioning? b. What percentage of flow in Westside Storm Drain is the facility treating? c. Have habitat scores and index of biological integrity (IBI) scores in Bönnelf Park improved? c. How Restoration, including Mesa Creek daylighting at Have habitat and IBI scores in Mesa Creek improved? b. Has water quality in Mesa Creek continued to improve? c. How does Arroyo Burn Estuary biological integrity compare to other estuaries? 3. Hope and Haley Diversions a. Are human waste markers still found in Hope and Haley Storm Drains? b. What are the loads of fecal indicator bacteria (FIB) that are diverted to the sanitary sewer by these projects? 4. Golf Course Project Performance (Storm) and Operation (Dry weather) c. What are the temporal and spatial patterns of pH, temperature, DO, and conductivity in the East Basin and West Basin; West lasers (East Basin, West Basin) exail be usuality of water deseased prior to storm events from the East Basin and West Basin PW hat are the conditions in receiving water during releases? 5. McKenzie Parking Lot LID Retrofit (Storm) Are basins functioning correctly? 5. McKenzie Parking Lot LID Retrofit (Storm) Are basins functioning correctly? 5. McKenzie Parking Lot LID Retrofit (Storm) Are basins functioning correctly? 5. McKenzie Parking Lot LID Retrofit (Storm) Are basins functioning correctly? 5. McKenzie Parking Lot LID Retrofit (Storm) Are basins functioning correctly? 5. McKenzie Parking Lot LID Retrofit (Storm) Are basins functioning correctly? 5. McKenzie Parking Lot LID Retrofit (Storm) Are basins functioning correctly? 5. McKenzie Parking Lot LID Retrofit (Storm) Are basins functioning correctly? 5. McKenzie Parking Lot LID Retrofit (Storm) Are basins functioning correctly? 5. McKenzie Parking Lot LID Retrofit (Storm) Are basins functioning correctly? 5. McKenzie Parking Lot LID Retrofit (Storm) Are basins functioning correctly? 5. McKenzie Parking Lot LID Retrofit (Storm) Are basins fun			Lot, and Storm Water Retrofit Projects			
a. Is the UV disinfection equipment functioning? b. What percentage of flow in Westside Storm Drain is the facility treating? c. Have habitat scores and index of biological integrity (IBI) scores in Booneet Park improved? b. Have well possible scores in Mesa Creek daylighting at Have habitat and IBI scores in Mesa Creek daylighting at Have habitat and IBI scores in Mesa Creek (annually in Mesa Creek Continued to improve)? c. How does Arroyo Burro Estuary biological integrity compare to other estuaries? d. Hope and Haley Diversions a. Are human waste markers still found in Hope and Haley Storm Drains? b. What are the leads of fecal indicator bacteria (FIB) that are diverted to the sanitary sewer by these projects? d. Golf Course Project Performance (Storm) and Operation (Dry weather) b. What is the quality of water discharged during spillover conditions (East Basin, West Basin) c. East Basin and West Basin's West Basin's and toxicity (in the East Basin and West Basin's What are the temporal and spetial patterns of pH, temperature, DO, and conductivity in the East Basin and West Basin's What are the conditions in receiving water during releases? b. What is the quality of water released prior to storm events from the East Basin and West Basin's What are the conditions in receiving water during releases? b. More that is the quality of water released prior to storm events from the East Basin and West Basin's What are the conditions in receiving water during releases? b. More political concentrations during storms? c. What are the temporal and spetial patterns of pH, temperature, DO, and conductivity in the East Basin and West Basin's What are the conditions in receiving water during releases? b. More political concentrations during down water. c. What are parking Lot LID Retrofit (Storm) a. Are busined for the score of the water of the political concentrations during design storm. b. East Basin scores lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased rott	C.	Restoration and Water Quality Project Assessment				
b. What percentage of flow in Westside Storm Drain is the facility treating? Have habitat scores and index of biological integrity (IBI) scores in Bohnett Park improved? Arroyo Burro Restoration, including Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek taylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek taylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek daylighting alway habitat and IBI scores in Mesa Creek and IBI	1.	Westside SURF and Old Mission Creek Restoration				
b. What percentage of flow in Westside Storm Drain is the facility treating? c. Have habitat scores and index of biological integrity (IBI) scores in Bioassessment Bioas	a.	Is the UV disinfection equipment functioning?	FIB and field parameters.		, ,	
Bohnett Park improved? 2. Arroyo Burro Restoration, including Mesa Creek daylighting a. Have habitat and Isl scores in Mesa Creek continued to improve? b. Has water quality in Mesa Creek continued to improve? c. How does Arroyo Burro Arroyo Burro Restoration, including Mesa Creek continued to improve? b. Has water quality in Mesa Creek continued to improve? c. How does Arroyo Burro Statuary biological integrity compare to other estuaries? a. Are human waste markers still found in Hope and Haley Storm Drains? b. What are the loads of fecal indicator bacteria (FIB) that are diverted to the sanitary sewer by these projects? b. What are the lements (Adams bioswale, East Basin, West Basin) reduce pollutant concentrations during storms? b. What is the quality of water discharged during spillover conditions (East Basin, West Basin)? c. What are the temporal and spatial patterns of pH, temperature, DO, and conductivity in the East Basin and West Basin of West Basin and West Basin and West Basin? What are the conditions in receiving water during releases? b. What are the temporal and spatial patterns of pH, temperature, DO, and conductivity in the East Basin and West Basin? What are the conditions in receiving water during releases? b. McKenzie Parking Lot LID Retrofit (Storm) a. Are basins functioning correctly? b. Is design storm fully infilitated? b. How the catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased rotting plant material and of FIB in storm drains? Indicator bacteria and field parameters and field parameters and field parameters and field parameters. Hope Diversion, Haley Pump Spring 2013 Biannual FiB, nutrients, TSS Pairs, nutrients, TSS, toxicity East Basin, West Basin East Basin and West Basin spillways East Basin and West Basin pillways East Basin was the material and field parameters and field parameters. FiB, nutrients, TS	b.		Flow from WSD, pump records, camera	, i		
a. Have habitat and IBI scores in Mesa Creek continued to improve? c. How does Arroyo Burro Estuary biological integrity compare to other estuaries? 3. Hope and Haley Diversions a. Are human waste markers still found in Hope and Haley Storm Drains? b. What are the loads of fecal indicator bacteria (FIB) that are diverted to the sanitary sever by these projects? c. Word rows Project Performance (Storm) and Operation (Dry weather) b. What is the quality of water discharged during spillower conditions (East Basin, West Basin) (East Basin, West Basin) and Owest Basin? What are the temporal and spatial patterns of pH, temperature, Do, and conductivity in the East Basin during releases? d. What is the quality of water released prior to storm events from the East Basin and West Basin? What are the conditions in receiving water during releases? d. McKenzie Parking Lot LID Retrofit (Storm) a. Are basins functioning correctly? b. Have the catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased trotting plant material and/or FIB in storm drains? Indicator bacteria and field parameters a	C.		Bioassessment			
b. Has water quality in Mesa Creek continued to improve? c. How does Arroyo Burro Estuary biological integrity compare to other estuaries? 3. Hope and Haley Diversions a. Are human waste markers still found in Hope and Haley Storm Drains? b. What are the loads of fecal indicator bacteria (FIB) that are diverted to the sanitary sewer by these projects? 4. Golf Course Project Performance (Storm) and Operation (Dry weather) a. Do treatment elements (Adams bioswale, East Basin, West Basin) reduce pollutant concentrations during storms? b. What is the quality of water discharged during dry weather? d. What is the quality of water released prior to storm events from the East Basin and West Basin? What are the conditions in receiving water during releases? 5. McKenzie Parking Lot LID Retrofit (Storm) a. Are basins functioning correctly? b. Had be the polity of water released prior for storm events from the water, if observed). 5. McKenzie Parking Lot LID Retrofit (Storm) a. Are basins functioning correctly? b. Had be installation of catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased trash observed in creeks? b. Have the actch basin screens lead to decreased trash observed in creeks? b. Have the actch basin screens lead to decreased trash observed in creeks? b. Have the actch basin screens lead to decreased trash observed in creeks? b. Have the actch basin screens lead to decreased trash observed in creeks? b. Have the actch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased trash observed in creeks?	2.					
estuaries? 3. Hope and Haley Diversions a. Are human waste markers still found in Hope and Haley Storm Drains? b. What are the loads of fecal indicator bacteria (FIB) that are diverted to the sanitary sewer by these projects? 4. Golf Course Project Performance (Storm) and Operation (Dry weather) a. Do treatment elements (Adams bioswale, East Basin, West Basin) reduce pollutant concentrations during storms? b. What is the quality of water discharged during spillover conditions (East Basin, West Basin)? c. What is the quality of water released prior to storm events from the East Basin and West Basin? What are the temporal and spatial patterns of pH, temperature, DO, and conductivity in the East Basin during dry weather? d. What is the quality of water released prior to storm events from the East Basin and West Basin? What are the conditions in receiving water during releases? 5. McKenzie Parking Lot LID Retrofit (Storm) a. Are pusins functioning correctly? b. Is design storm fully infiltrated? c. What is installation of catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased rotting plant material and/or FIB in storm drains? Human waste marker suite. Hope Diversion, Haley Pump Biannual Hope Diversion, Haley Pump Paired samples: Adams bioswale, East Basin will plump (FIB, nutrients, TSS) Biannual Three storms (not first flush) Large storm. FIB, nutrients, TSS, toxicity Sonde deployed in E. Basin, spot sampling File, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). Fand W Basin releases, Las Positas Creek at Modoc As needed. Cortinuous As needed. Cortinuous As needed. Cortek at Modoc All storms. See Section E4 See Section E4 See Section D4			Indicator bacteria and field parameters		Biweekly	
a. Are human waste markers still found in Hope and Haley Storm Drains? What are the loads of fecal indicator bacteria (FIB) that are diverted to the sanitary sewer by these projects? 4. Golf Course Project Performance (Storm) and Operation (Dry weather) a. Do treatment elements (Adams bioswale, East Basin, West Basin) reduce pollutant concentrations during storms? b. What is the quality of water discharged during spillover conditions (East Basin and West Basin)? c. What are the temporal and spatial patterns of pH, temperature, DO, and conductivity in the East Basin during dry weather? d. What is the quality of water released prior to storm events from the East Basin und West Basin? What are the conditions in receiving water during releases? 5. McKenzie Parking Lot LID Retrofit (Storm) a. Are basins functioning correctly? b. Is design storm fully infiltrated? 6. Debris Screens (Creek Walks) a. Has the installation of catch basin screens lead to decreased rotting plant material and/or FIB in storm drains? Human waste marker suite. Indicator bacteria and field parameters Indicator bacteria and field parameters Indicator bacteria and field parameters Hope Diversion, Haley Pump Biannual Three storms (not first fast) East Basin and West Basin bioswale, East Basin and West Basin plants bioswale, East Basin, West Basin FIB, nutrients, TSS Sonde deployed in E. Basin, spot sampling Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). As needed. Creek at Modoc As needed. FIB, nutrients, TSS E and W Basin releases, Las Positas Creek at Modoc As needed. FIB, nutrients, TSS, toxicity Basin and West Basin and West Basin spillways E and W Basin releases, Las Positas Creek at Modoc As needed. FIB, nutrients, TSS, toxicity Basin and West Basin and West Basin	C.		Bioassessment	AB Surf		
Drains? b. What are the loads of fecal indicator bacteria (FIB) that are diverted to the sanitary sewer by these projects? 4. Golf Course Project Performance (Storm) and Operation (Dry weather) a. Do treatment elements (Adams bioswale, East Basin, West Basin) reduce pollutant concentrations during storms? b. What is the quality of water discharged during spillover conditions (East Basin, West Basin)? c. What are the temporal and spatial patterns of pH, temperature, DO, and conductivity in the East Basin and West Basin spillways and conductivity in the East Basin and West Basin Pill, and the temporal and spatial patterns of pH, temperature, DO, and conductivity in the East Basin and West Basin spillways Sonde deployed in E. Basin, spot sampling Field parameters, FIB, nutrients, TSS, toxicity Sonde deployed in E. Basin, spot sampling Field parameters, FIB, nutrients, TSS, toxicity E Basin Continuous E and W Basin releases, Las Positas Creek at Modoc As needed. Creek at Modoc MacKenzie Park All storms. All storms. All storms. See Section E4 See Section D4 See Section D4	3.					
to the sanitary sewer by these projects? 4. Golf Course Project Performance (Storm) and Operation (Dry weather) a. Do treatment elements (Adams bioswale, East Basin, West Basin) reduce pollutant concentrations during storms? b. What is the quality of water discharged during spillover conditions (East Basin, West Basin)? c. What are the temporal and spatial patterns of pH, temperature, DO, and conductivity in the East Basin during dry weather? d. What is the quality of water released prior to storm events from the East Basin and West Basin? What are the conditions in receiving water during releases? 5. McKenzie Parking Lot LID Retrofit (Storm) a. Are basins functioning correctly? b. Is design storm fully infiltrated? c. What are rainfall, storage, and draw down patterns? 6. Debris Screens (Creek Walks) a. Has the installation of catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased rotting plant material and/or FIB in storm drains? FIB, nutrients, TSS FIB, nutrients, TSS, toxicity Sonde deployed in E. Basin, spot sampling Field parameters, FIB, nutrients, metals, plantarients, metals, plantarients, metals, and toxicity (PAHs only in sediment laden water, if observed). E and W Basin releases, Las Positas Creek at Modoc As needed. Creek at Modoc All storms. All storms. See Section D4	a.		Human waste marker suite.	Hope Diversion, Haley Pump	Spring 2013	
4. Golf Course Project Performance (Storm) and Operation (Dry weather) a. Do treatment elements (Adams bioswale, East Basin, West Basin) reduce pollutant concentrations during storms? b. What is the quality of water discharged during spillover conditions (East Basin, West Basin)? c. What are the temporal and spatial patterns of pH, temperature, DO, and conductivity in the East Basin and West Basin quring dry weather? d. What is the quality of water released prior to storm events from the East Basin and West Basin; What are the conditions in receiving water during releases? 5. McKenzie Parking Lot LID Retrofit (Storm) a. Are basins functioning correctly? b. Is design storm fully infiltrated? c. What are rainfall, storage, and draw down patterns? 6. Depth in basins, via logger. Visual observation during design storm. 5. McKenzie Parking Lot LID Retrofit (Storm) a. Are basins functioning correctly? b. Is design storm fully infiltrated? c. What are rainfall, storage, and draw down patterns? 6. Depth in basins, via logger. Visual observation during design storm. 5. See Section E4 See Section D4 All storms.	b.		Indicator bacteria and field parameters	Hope Diversion, Haley Pump	Biannual	
weather) a. Do treatment elements (Adams bioswale, East Basin, West Basin) reduce pollutant concentrations during storms? b. What is the quality of water discharged during spillover conditions (East Basin, West Basin)? c. What are the temporal and spatial patterns of pH, temperature, DO, and conductivity in the East Basin and West Basin of Continuous sampling d. What is the quality of water released prior to storm events from the East Basin and West Basin? What are the conditions in receiving water during releases? 5. McKenzie Parking Lot LID Retrofit (Storm) a. Are basins functioning correctly? b. Is design storm fully infiltrated? c. What are rainfall, storage, and draw down patterns? 6. Debris Screens (Creek Walks) a. Has the installation of catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased rotting plant material and/or FIB in storm drains? FIB, nutrients, TSS FIB, nutrients, TSS FIB, nutrients, TSS FIB, nutrients, TSS Sonde deployed in E. Basin, spot sampling Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). E and W Basin releases, Las Positas Creek at Modoc Creek at Modoc As needed. Creek at Modoc MacKenzie Park All storms. All storms.	4.	Golf Course Project Performance (Storm) and Operation (Dry				
a. Do freatment elements (Adams bioswale, East Basin, West Basin) reduce pollutant concentrations during storms? b. What is the quality of water discharged during spillover conditions (East Basin, West Basin)? c. What are the temporal and spatial patterns of pH, temperature, DO, and conductivity in the East Basin during dry weather? d. What is the quality of water released prior to storm events from the East Basin and West Basin? What are the conditions in receiving water during releases? b. McKenzie Parking Lot LID Retrofit (Storm) a. Are basins functioning correctly? b. Is design storm fully infiltrated? c. What are rainfall, storage, and draw down patterns? 6. Debris Screens (Creek Walks) a. Has the installation of catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased rotting plant material and/or FIB in storm drains? FIB, nutrients, TSS Sonde deployed in E. Basin, Spot sampling Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). Cerek at Modoc As needed. Creek at Modoc As needed. Creek at Modoc MacKenzie Park All storms. See Section E4 See Section E4 See Section D4						
b. What is the quality of water discharged during spillover conditions (East Basin, West Basin)? c. What are the temporal and spatial patterns of pH, temperature, DO, and conductivity in the East Basin during dry weather? d. What is the quality of water released prior to storm events from the East Basin and West Basin? What are the conditions in receiving water during releases? 5. McKenzie Parking Lot LID Retrofit (Storm) a. Are basins functioning correctly? b. Is design storm fully infiltrated? c. What are rainfall, storage, and draw down patterns? 6. Debris Screens (Creek Walks) a. Has the installation of catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased rotting plant material and/or FIB in storm drains? FIB, nutrients, TSS, toxicity FIB asin and West Basin spillways East Basin and West Basin spillways Continuous ampling Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). As needed. Creek at Modoc MacKenzie Park All storms. See Section E4 See Section E4 See Section D4		Do treatment elements (Adams bioswale, East Basin, West Basin)	FIB, nutrients, TSS			
c. What are the temporal and spatial patterns of pH, temperature, DO, and conductivity in the East Basin during dry weather? d. What is the quality of water released prior to storm events from the East Basin and West Basin? What are the conditions in receiving water during releases? 5. McKenzie Parking Lot LID Retrofit (Storm) a. Are basins functioning correctly? b. Is design storm fully infiltrated? c. What are rainfall, storage, and draw down patterns? 6. Debris Screens (Creek Walks) a. Has the installation of catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased rotting plant material and/or FIB in storm drains? Sonde deployed in E. Basin, spot sampling Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). E and W Basin releases, Las Positas Creek at Modoc Wash are rainfall, storage, and draw down patterns? Depth in basins, via logger. Visual observation during design storm. See Section E4 See Section D4 See Section D4	b.	What is the quality of water discharged during spillover conditions	FIB, nutrients, TSS, toxicity	· ·	,	
d. What is the quality of water released prior to storm events from the East Basin and West Basin? What are the conditions in receiving water during releases? Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed). Field parameters, FIB, nutrients, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden water, if observed and toxicity (PAHs only in	C.	What are the temporal and spatial patterns of pH, temperature, DO,		E Basin	Continuous	
a. Are basins functioning correctly? b. Is design storm fully infiltrated? c. What are rainfall, storage, and draw down patterns? 6. Debris Screens (Creek Walks) a. Has the installation of catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased rotting plant material and/or FIB in storm drains? Depth in basins, via logger. Visual observation during design storm. See Section E4 See Section D4 All storms. All storms. See Section E4	d.	What is the quality of water released prior to storm events from the East Basin and West Basin? What are the conditions in receiving	Field parameters, FIB, nutrients, metals, hydrocarbons, pesticides, TSS, PAHs, and toxicity (PAHs only in sediment laden	I *	As needed.	
b. Is design storm fully infiltrated? c. What are rainfall, storage, and draw down patterns? 6. Debris Screens (Creek Walks) a. Has the installation of catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased rotting plant material and/or FIB in storm drains? Visual observation during design storm. See Section E4 See Section D4	5.					
 c. What are rainfall, storage, and draw down patterns? 6. Debris Screens (Creek Walks) a. Has the installation of catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased rotting plant material and/or FIB in storm drains? c. What are rainfall, storage, and draw down patterns? See Section E4 See Section D4 	a.	Are basins functioning correctly?		MacKenzie Park	All storms.	
6. Debris Screens (Creek Walks) a. Has the installation of catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased rotting plant material and/or FIB in storm drains? See Section E4 See Section D4	b.		Visual observation during design storm.			
 a. Has the installation of catch basin screens lead to decreased trash observed in creeks? b. Have the catch basin screens lead to decreased rotting plant material and/or FIB in storm drains? See Section E4 See Section D4 	C.					
b. Have the catch basin screens lead to decreased rotting plant material and/or FIB in storm drains? See Section D4	6. a.	Has the installation of catch basin screens lead to decreased trash	See Section E4			
	b.	Have the catch basin screens lead to decreased rotting plant	See Section D4			
	7.	Mission Creek Fish Passage (Dissolved Oxygen)				

	GRAM ELEMENT and QUESTIONS	METHODS/CONSTITUENS	SITES	FREQUENCY	NEW?
	Vhat are the conditions in creek segments where fish spend time	Data collected as part of Mission Lagoon			
	vaiting for passage conditions (above or below passages)?	work, below.			
	lission Lagoon Restoration and Laguna Channel Disinfection				New
	agoon Inputs				
	What does previously collected data show regarding nutrient input in				
	Mission Creek and Laguna Channel?	Review existing data.			
	What are the current nutrient inputs (concentration and flow) from	N 4 : 4 : 1	MOM / W LOG OPP	D: 11 /5 \	
	Mission Creek and Laguna Channel during dry weather?	Nutrient suite, DO, flow.	MC Montecito, LCC CPP	Biweekly (5 xs)	
	Does groundwater and/or nitrate enter Laguna Channel in the lower	Notice to disconnection DO floor	LO I have 404 LO ODD	Di ald (5)	
	each?	Nutrient suite, DO, flow.	LC Hwy 101, LC CPP	Biweekly (5 xs)	
	agoon Water Quality				
	What does previously collected data show regarding sediment contamination in Mission Lagoon and Laguna Channel?				
	What are the water quality conditions in the lagoon (DO,				
	emperature, turbidity), at the surface and near the bottom?	Two sondes installed.	DO, temp, conductivity	Continuous data	1
	How do parameters respond to lagoon breaching and closing?	I wo sorides installed.	DO, temp, conductivity	collection.	
	How does macro-algae cover and biomass change after the lagoon	Same as above.		COllection.	
	s closed?	Photos.	Carrillo and State St. Bridges	Daily to weekly	
	What is the daily (weekly) condition of the estuary? Lagoon status,	Thotos.	Carrillo and State St. Bridges	Daily to Weekly	
	color, amount of floating algae?	Same as above.			
	Storm Water Infiltration Retrofit Projects (Prop 84)	Came ac acces.			New
	What are the baseline conditions for the project?				
	What is the modeled post-development hydrograph?	Runoff modeling, testing for FIB,	TBD	First flush and two	
	What are the concentrations of pollutants in runoff from the sites?	hydrocarbons, metals, pesticides,		additional storms.	
	What is the toxicity of runoff from the sites?	surfactants, toxicity. Field observation			
	What is the modeled pre-development hydrograph?	and GIS work for identifying reference			
). C	Can we identify reference parking lots for which flow rates can be	sites.			
n	neasured in addition to modeled? Include runon and runoff patterns				
ir	n consideration of sites.				
	Bird Refuge	On hold.			
a. V	Vhat are baseline conditions for future restoration project?				
). S	Source Tracking/Illicit Discharge Detection				
	What are the causes of persistent beach warnings that occur?	FIB, ammonia	TBD, upstream from beach sits.	As needed, when 3 out of 4 beach tests show a warning.	
h	Will Laguna Channel and the East Side Storm Drain show that numan waste markers have been eliminated after sewer line repair work is completed? See also Hope and Haley Drains above.	Human waste marker suite.	Laguna Channel under Hwy 101. East Side Storm Drain outfall.	Spring 2013	New
. Is	s RV dumping a consistent problem in Santa Barbara?	Counts/observations of RVs in Santa	Blocks and parking lots frequented by	Quarterly.	New
o. V	What is the scale of RV dumping (time, volume, percent of RVs in	Barbara, compared to number of RVs	RV dwellers.	-	1
to	own)?	dumping legally at Marborg. Using			1
). H	How does RV dumping scale to other fecal inputs, e.g. leaking	calculations to estimate relative scale of			

PROGRAM ELEMENT and QUESTIONS	METHODS/CONSTITUENS	SITES	FREQUENCY	NEW?
sewers?	problem.			
4. What are the FIB patterns in storm drains that have been identified visually as "clean" vs. "debris-laden" during CCTV work?	FIB, ammonia	TBD, based on CCTV footage	TBD, Spring 2013	New
5. Does outfall screening show illicit discharges according to Center for Watershed Protection guidance (Creek Walks)?	Ammonia, FIB, MBAS	All discharges to mainstem creeks observed during creek walks.	Yearly	New
6. Are new hot spots emerging?	TBD			
7. Specific areas of concern: Barger Canyon, Las Positas Creek, San Roque	TBD			
8. Can we implement a report card system to create an alert for field and sample results that are concerning?	Review of exisiting data.			New
Can we develop a field testing kit for enforcement?	TBD			
10. What is the impact of reservoir flushing on metals and pH?	Metals, sediment.	Rattlesnake Creek and Reservoir outlet.	Single event.	
E. Creeks Walks/Clean ups				
Are there new problems in creeks that need to be addressed? Conduct outfall screening.	See section D.	All main stem creeks.	Yearly	New
2. Can we see anything unusual in lower Arroyo Burro, regarding flow patterns?	Creek walk, review existing flow data.	Lower Arroyo Burro	Yearly	New
3. Is the amount of trash in creeks decreasing over time?	Weight of trash removed each year.	All main stem creeks.	Yearly	
4. Has the installation of catch basin screens lead to decreased trash observed in creeks?	Continue measuring and marking GPS coordinates of trash.	Old Mission Creek and Lower Mission Creek (oak Park to beach)	Yearly	
5. Can we see any impairment to San Roque Creek, leading to drop in bioassessment scores?	Observation.	San Roque Creek, above Jesusita	Note if/when creek dries up.	Add San Roque to creek walks.
6. What is the conductivity pattern in tributary to Sycamore Creek?	See Section A			New
F. Bioassessment				
What is the baseline of biological integrity for benthic macroinvertebrates in creeks?	See Bioassessment Proposal and			
2. Are there differences between upper watershed and lower watershed sites?	Reports.			
Are there differences among watersheds?				
4. How does the biological integrity in our creeks change over time?				
How does the biological integrity respond to water quality and restoration projects?				
6. What is the biological integrity of estuaries in Santa Barbara?				